Vienna Instruments Solo Download Instruments Soprano Saxophone Full Library

Contents

Introduction	3
'Full' Library	
Data paths and Patch name conventions	
Patch information	3
Interval performances	
Matrix information	
Preset information	
Abbreviations.	
Articulations	
The orchestra	
Pitch	/
70 Soprano Sax	8
Patches	
01 SHORT + LONG NOTES	
02 DYNAMICS	
03 FLATTER + TRILLS	_
10 PERF INTERVAL	
11 PERF INTERVAL FAST	
12 PERF TRILL	
13 PERF REPETITION.	
14 FAST REPETITION	
15 GRACE NOTES	13
16 SCALE RUNS	15
17 BENDS DOWN	15
98 RESOURCES	17
01 Perf Rep dyn	
02 Long Notes - Single Layer	
03 Perf Speed variation	
99 RELEASE	
Matrices	
Matrix - LEVEL 1	
Presets	26

Introduction

Welcome to the Vienna Symphonic Library, and thank you for purchasing one of our Solo Download Instruments! This document contains the mapping information for the "Full" version of the Vienna Instruments Soprano Saxophone. You will find in it a comprehensive survey of the articulations/Patches content, a listing of abbreviations, and the mapping list proper which gives details for every Patch, Matrix, and Preset.

"Full" Library

As opposed to the "Standard" versions of our Solo Download Instruments, the "Full" versions are identical with the corresponding instruments of a DVD Collection, i.e., they contain exactly the same samples, Patches, Matrices and Presets as the latter without any restrictions.

Installing a Download Instrument's Full version copies that instrument's sample content to a separate folder on your hard disk, so that it is not necessary to keep its Standard version installed – you may either delete it from your hard disk or at least remove it from the Directory Manager's list of activated instruments. In the Vienna Instruments Browser, the path of the Full version will be the same as that of the corresponding DVD Instrument, so that you can still see both versions as separate entries if you keep the Standard version installed.

Data paths and Patch name conventions

Since the Full versions of Download Instruments conform to the corresponding DVD Instruments, the data paths in your Vienna Instruments browser will be different than those of Standard Download or Special Edition Instruments. For instance, the path of the Standard Download Library of Flute 1 is "02D Flute-1", and all Patches can be found in this folder regardless of the articulation group they belong to. The Patch number is also marked with a "D" so that you immediately know it is a Download Instrument. In the Vienna Special Edition, Flute 1 is located in the folder "11 Flutes" together with the other flutes. Here, the Patch number is marked with an "S". The Full Download of Flute 1 is located in the subfolder "32 Flute" of the section "Woodwind Patches", which again contains subfolders grouping the Patches according to type, e.g., "01 SHORT + LONG NOTES", "02 DYNAMICS", etc. Patch names of the Full Download Library may differ from the corresponding ones of the Standard Download Library.

While Full Download Instruments contain all articulations of the corresponding DVD Instruments, their Patches are not divided into Standard and Extended content. The list of articulations further down which gives a summary of the Library's contents.

Special Patch configurations which sometimes are part of a Standard Download Instrument may be found in a reserved folder called "98 RESOURCES" in the Full Instrument. E.g., Flute 1 Standard contains the Patch "22D FL1 legato-sus"; in Flute 1 Full, this Patch is called "01 FL1_perf_leg_sustain" and is located in the Resources' subfolder "03 Perf Speed variation". (Apart from that, it also contains more samples.) Other articulations that can be found in the Resources folder are isolated dynamics repetitions in the subfolder "01 Perf Rep dyn" – e.g., the five repetitions of a legato crescendo, divided into separate Patches – and extracted velocity layers of sustained notes in the subfolder "02 Long Notes – Single Layer".

Patch information

The Patch information includes articulation type, playing range, number of samples used, RAM requirements, the number of velocity layers and alternations, AB switching possibilities, etc., as well as Patch specific information if necessary. Where the type of articulation requires a special mapping (e.g., natural harmonics patches), the mapping layout will be shown in a detailed graphic.

Major and minor runs are always mapped to the keys of their scale, as are **arpeggios** to the keys of the broken chord played. **Grace notes** and **mordents** are mapped to their target note, i.e., the note the articulation ends with. Due to their nature, all **upward and downward articulations** (e.g., fixed glissandos and octave runs) have different mapping ranges – the upward movements ending the involved interval below the Patch's upper mapping range, while downward movements end the interval above its lower mapping range. (Please note that not all of the articulations mentioned above may be contained in your Collection.)

The Patch information also lists a Patch's velocity layers in detail. Velocity layer switches generally are the same for patches with the same number of layers but may occasionally be adapted to the instrument's requirements:

Layers	Layer 1	Layer 2	Layer 3	Layer 4	Layer 5	Layer 6
2	1–88	89–127				
3	1–55	56–88	89–127			
4	1–55	56–88	89–108	109-127		
5	1–24	25–55	56–88	89–108	109–127	
6	1–24	25–55	56–88	89–108	109–118	119–127

Interval performances

Interval performances are one of the outstanding features of our Vienna Instruments. They allow you to play authentic legato without any programming tricks. In our Silent Stage, all intervals from minor second to the octave were recorded for every instrument – up and down, of course; that makes 24 interval samples per note for one velocity alone! When you load an interval performance Patch and play a line on your keyboard, the software automatically joins the right samples with their interval transitions again, and you hear a perfect legato. By the way, this technique is not only used for legato but also for other articulations like the strings' portamento, marcato, or détaché and spiccato articulations.

Interval performances also contain at least two legato repetitions for every note which alternate automatically whenever you strike a key more than once. There also are preconfigured thresholds for legato and repetition notes: The legato threshold – i.e., the maximum break between notes where legato is played – is 50 ms. Otherwise, a sustained starting note will sound so that you can easily start a new phrase without leaving the legato Patch. For note repetitions, the threshold is 200 ms: a break up to that duration will yield a legato repetition; if the break is longer, a new starting note. But of course, it's mingling legato with other articulations which makes a piece really come alive.

Due to their nature, all interval performances are monophonic; otherwise, the software would have to be able to decide which source note belongs to which target note. To circumvent this, you can open two VI instances of the same instrument on separate MIDI tracks without any additional strain on your RAM.

Note: the Vienna Instruments PRO player software also allows you to play polyphonic Interval performances.

Another variety of interval performance you will come across is the "perf-leg_sus" Patch. These Patches also contain normal legatos, only the target note of each interval is crossfaded into a looped sustain. They can be used for slower pieces with long notes; however, you should use them with circumspection, since plain legatos sound more lively because they not only render the interval transitions as they were played, but also have different target samples for every interval instead of the same sustained note: When you play, e.g., c-e and then c#-e with normal legato, you will get two different "e" tones; with sus-legato you won't.

Matrix information

Each Matrix listing contains information regarding the Patches used for the Matrix, the number of horizontal and vertical dimensions, and switching properties. A mapping table shows the Cell positions for each of the Matrix' Patches.

A/B switching normally is set to A0 for upward/crescendo, and B0 for downward/diminuendo. However, some bass instruments go below that range so that the A/B keys have to be adapted accordingly. For example, the A/B switches for double bass are A0 and A#0 because the instrument's lower range extends to B0.

In order to facilitate working with **MIDI controller switches** like the Modulation wheel, the switching positions are not distributed equally across the controller range if they control more than two Matrix rows or columns; generally, the switching range will be narrower at the extreme positions because they are easy to set, and wider in the middle where it is harder to find the desired setting.

Speed controller switches naturally are adjusted to the Patches involved, and have been tested carefully as to their playability. However, if you find that they do not fit your playing, or want to try out other settings, you can change this as well as any other controller's settings at the **Control edit** page, and save the result in your Custom Matrix folder.

Preset information

The Preset information lists the Matrices used in the Preset as well as its keyswitches. All other information can be gathered from the Matrix and Patch listings, so there's not really much to say here. Please note that the Matrices of a Preset can also be switched with MIDI Program Changes (VI: 101–112; VI PRO: 1–127) instead of keyboard notes, and if you like to keep your keyboard free for playing instead of switching, you can disable Preset keyswitching and only use MIDI Program Changes. Vienna Instruments PRO also allows you to define a MIDI Control for Preset keyswitching.

Abbreviations

Here's a list of abbreviations in Patch names, which will help you to determine a Patch's content even without the help of the Vienna Instruments browser. Please note that not all of the abbreviations may occur in the manual on hand.


Abbreviation	Meaning	Abbreviation	Meaning
150, 160,	150, 160, BPM (beats per minute)	lo	long
1s, 2s,	tone length 1 sec., 2 sec.,	marc	marcato
acc	accelerando	me	medium
all	combination of all Patches of a	mi	minor
	category	noVib	without vibrato
cre	crescendo	perf-rep	repetition performance
dim	diminuendo	por	portato
dyn	dynamics (crescendo and	run	octave run
	diminuendo)	sl	slow
dyn5, dyn9	dynamics, 5/9 repetitions	sta, stac	staccato
fa	fast	str	strong
fast-rep	fast repetitions	SUS	sustained
flatter	flutter tonguing	Vib	with (medium) vibrato
fx	effect sound	Vib-progr	progressive vibrato
gliss	glissando	XF	cell crossfade Matrix
leg	legato		

Articulations

70 Soprano Sax	
01 SHORT + LONG NOTES Staccato	
Portato sh	ort and medium
Portato Io	ng marcato
	al and muted, key noise
l ·	with normal, progressive, and without vibrato
Sustained	
	long bends
	namics with vibrato, 2 and 5 sec.
· ·	namics with vibrato, 3 and 5 sec.
9	namics without vibrato, 1.5 and 2 sec.
	-diminuendo with vibrato, 3 and 5 sec.
	, sforzato, sforzatissimo with vibrato
	guing, crescendo
	al and accelerando, minor and major 2nd
	for all trills
10 PERF INTERVAL Legato wi	
10.11	hout vibrato, sustain crossfading
	es, minor 2nd to octave
Portamen	
	s, up, minor 2nd to octave
Marcato	, 5, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
11 PERF INTERVAL FAST Legato	
Marcato	
12 PERF TRILL Trills, lega	to, minor 2nd to major 3rd
13 PERF REPETITION Legato slo	w and fast
Portato sl	ow and fast
Staccato	
Dynamics	for all repetitions
14 FAST REPETITION Staccato,	9 repetitions, 140 to 180 BPM
Normal ar	d dynamics
15 GRACE NOTES Grace not	
Minor 2nd	to octave
Up and do	wn
Samples a	re mapped to the target note
16 SCALE RUNS Octave ru	IS
Legato, cl	romatic and whole tone
Up and do	
	with normal, progressive, and without vibrato
Sustained	
	h vibrato, grace notes, portamento, glissando up, marcato interval
performar	
Performan	

The orchestra

There are several ways of setting up an orchestra, depending on the era of the piece played, the type of the piece and the instruments it requires, and even on the preference of the conductor. The figure below shows one of the more common setups, which can be taken as a guideline for mixing a composition, properly positioning the instruments in the stereo field and adding reverb according to the size of the concert hall you want your piece to be played in.



Pitch

For designating pitch, the Vienna Symphonic Library uses International Pitch Notation (IPN), which was agreed upon internationally under the auspices of the Acoustical Society of America. In this system the international standard of A=440 Hz is called A4 and middle C is C4. All pitches are written as capital letters, their respective octave being indicated by a number next to it. The lowest C on the piano is C1 (the A below that is A0), etc.

You can tune your Vienna Instruments to other players, or adjust it to tunings of earlier musical periods by setting the Perform page's Master Tune option within a range of 420 to 460 Hz.

70 Soprano Sax

Patches

01 SHORT + LONG NOTES Range: G3-E6 01 SX-So staccato Samples: 330 RAM: 20 MB Staccato Velocity mapping: 0-28 pp, 29-55 mp, 56-88 mf, 89-108 f, 109-127 ff 4 Alternations 02 SX-So_portato_short Samples: 330 RAM: 20 MB Portato, short Velocity mapping: 0-28 pp, 29-55 mp, 56-88 mf, 89-108 f, 109-127 ff 4 Alternations 03 SX-So portato medium Samples: 330 RAM: 20 MB Portato, medium Velocity mapping: 0-28 pp, 29-55 mp, 56-88 mf, 89-108 f, 109-127 ff 4 Alternations 04 SX-So_portato_long-marc Samples: 49 RAM: 3 MB Portato, long, marcato 1 velocity layer Release samples Range: G3-C5 Samples: 38 RAM: 2 MB 05 SX-So slap Slap 2 velocity layers 2 Alternations 06 SX-So slap mute Range: G3-C5 Samples: 38 RAM: 2 MB Slap, muted 2 velocity layers 2 Alternations 07 SX-So_key-noise Samples: 22 RAM: 1 MB Key noise The 11 keys are repeated over the range of the Patch (G - 1st key, F# - 11th key) 1 velocity layer 2 Alternations 11 SX-So sus Vib Samples: 264 **RAM: 16 MB** Sustained, with vibrato 4 velocity layers

Release samples

RAM: 9 MB

RAM: 12 MB

12 SX-So sus Vib-progr

Sustained, progressive vibrato

3 velocity layers

Release samples

13 SX-So sus noVib

Sustained, without vibrato

4 velocity layers

Release samples

14 SX-So sus dirty

Sustained, "dirty"

2 velocity layers

Release samples

21 SX-So bend

Short and long downward bends

The longer bends have a glissando-like quality 2 velocity layers

AB switch: bend short/long

Range: G3-C6

Samples: 124

Samples: 150

Samples: 200

RAM: 7 MB

Range: G3-F6

Samples: 64

Samples: 68

Samples: 68

Samples: 66

RAM: 4 MB

02 DYNAMICS

Range: G3-E6

RAM: 4 MB

RAM: 4 MB

RAM: 4 MB

01 SX-So_dyn-me_Vib_2s

Medium crescendo and diminuendo with vibrato, 2 sec.

2 velocity layers

AB switch: crescendo/diminuendo

02 SX-So_dyn-me_Vib_5s

Medium crescendo and diminuendo with vibrato, 5 sec.

2 velocity layers

AB switch: crescendo/diminuendo

11 SX-So_dyn-str_Vib_3s

Strong crescendo and diminuendo with vibrato, 3 sec.

1 velocity layer

AB switch: crescendo/diminuendo

12 SX-So_dyn-str_Vib_5s

Strong crescendo and diminuendo with vibrato, 5 sec.

1 velocity layer

AB switch: crescendo/diminuendo

Samples: 66

RAM: 4 MB

21 SX-So_dyn-me_noVib_1'5s

Medium crescendo and diminuendo without vibrato, 1.5 sec.

2 velocity layers

AB switch: crescendo/diminuendo

Samples: 132

Samples: 132

RAM: 8 MB

RAM: 8 MB

22 SX-So_dyn-me_noVib_2s

Medium crescendo and diminuendo without vibrato, 2 sec.

2 velocity lavers

AB switch: crescendo/diminuendo

(c) 2011 Vienna Symphonic Library

Vienna Instruments Soprano Saxophone - DL-Full

-9-

31 SX-So pfp Vib 3s Samples: 34 RAM: 2 MB Crescendo-diminuendo with vibrato, 3 sec. 2 velocity layers RAM: 2 MB 32 SX-So_pfp_Vib_5s Samples: 34 Crescendo-diminuendo with vibrato, 5 sec. 2 velocity layers 41 SX-So_fp_Vib Samples: 33 RAM: 2 MB Fortepiano, with vibrato 1 velocity layer 2 Alternations 42 SX-So sfz Vib Samples: 33 RAM: 2 MB Sforzato, with vibrato 1 velocity layer 2 Alternations 43 SX-So_sffz_Vib Samples: 33 RAM: 2 MB

trai 03 FLATTER + TRILLS

Samples: 33 01 SX-So_flatter_cre Range: G3-E6 RAM: 2 MB Flutter tonguing, crescendo 1 velocity layer 11 SX-So trill 1 Range: G3-D6 Samples: 62 RAM: 3 MB Trills, minor 2nd 2 velocity layers Release samples 12 SX-So_trill_2 Range: G3-D6 Samples: 62 RAM: 3 MB Trills, major 2nd 2 velocity layers Release samples 13 SX-So_trill_1_dyn Range: G3-C#6 Samples: 30 RAM: 1 MB Trills, crescendo and diminuendo, minor 2nd 1 velocity layer

AB switch: crescendo/diminuendo

Sforzatissimo, with vibrato

1 velocity layer 2 Alternations

14 SX-So_trill_2_dyn

Trills, crescendo and diminuendo, major 2nd

1 velocity layer

AB switch: crescendo/diminuendo

Range: G3-C#6

Samples: 30

RAM: 1 MB

15 SX-So trill 1 acc Trills accelerando, minor 2nd

2 velocity layers

Release samples

16 SX-So trill 2 acc

Trills accelerando, major 2nd

2 velocity layers

Release samples

17 SX-So trill 1 acc-dyn Range: G3-D#6

Trills accelerando, crescendo and diminuendo, minor 2nd

1 velocity layer

AB switch: crescendo/diminuendo

18 SX-So_trill_2_acc-dyn Range: G3-D6

Trills accelerando, crescendo and diminuendo, major 2nd

1 velocity laver

AB switch: crescendo/diminuendo

10 PERF INTERVAL Range: G3-D6

01 SX-So_perf-legato_Vib

Legato, with vibrato 3 velocity layers

Release samples

02 SX-So_perf-legato_noVib_sus

Legato, without vibrato

Sustain crossfading

3 velocity layers

Release samples

03 SX-So_perf-legato_grace

Grace notes, legato, minor 2nd to octave

3 velocity layers

Release samples

04 SX-So_perf-portamento

Portamento

1 velocity layer

Release samples

05 SX-So_perf-legato_gliss-up

Glissandos, upward, minor 2nd to octave

2 velocity layers

Release samples

06 SX-So_perf-marcato

Marcato

2 velocity lavers

Release samples

(c) 2011 Vienna Symphonic Library

Samples: 60

Range: G3-D#6

Range: G3-D6

Samples: 60

RAM: 3 MB

RAM: 3 MB

Samples: 30

RAM: 1 MB

Samples: 30

RAM: 1 MB

Samples: 1185

RAM: 74 MB

Samples: 1063

RAM: 66 MB

RAM: 74 MB

Samples: 1191

Samples: 395

RAM: 24 MB

Samples: 545 **RAM: 34 MB**

Samples: 790

RAM: 49 MB

11 PERF INTERVAL FAST Range: G3-D6



01 SX-So_perf-legato_fa

Interval performances: Legato, fast

2 velocity layers Release samples

02 SX-So_perf-marcato_fa

Interval performances: Marcato, fast

2 velocity layers Release samples Samples: 850

Samples: 881

Samples: 1936

Samples: 255

Samples: 225

Samples: 225

Samples: 405

Samples: 414

Samples: 170

RAM: 53 MB

RAM: 55 MB

12 PERF TRILL

Range: G3-D6

Range: G3-D6

Range: G3-E6

RAM: 121 MB

01 SX-So_perf-trill

Performance trills, legato, minor 2nd to major 3rd

2 velocity layers Release samples

13 PERF REPETITION

••••

RAM: 15 MB

RAM: 14 MB

RAM: 14 MB

RAM: 25 MB

RAM: 25 MB

RAM: 10 MB

01 SX-So perf-rep leg-sl

Repetition performances: Legato, slow

3 velocity layers

02 SX-So perf-rep leg-fa

Repetition performances: Legato, fast

3 velocity layers

03 SX-So perf-rep por-sl

Repetition performances: Portato, slow

3 velocity layers

04 SX-So_perf-rep_por-fa

Repetition performances: Portato, fast

3 velocity layers

05 SX-So_perf-rep_sta

Repetition performances: Staccato

3 velocity layers

21 SX-So_perf-rep_dyn5_leg-sl

Repetition performances: Legato dynamics, slow, 5 repetitions

1 velocity layer

AB switch: crescendo/diminuendo

Range: G3-E6

RAM: 9 MB

RAM: 9 MB

RAM: 16 MB

22 SX-So_perf-rep_dyn5_leg-fa

Repetition performances: Legato dynamics, fast, 5 repetitions

1 velocity layer

AB switch: crescendo/diminuendo

23 SX-So_perf-rep_dyn5_por-sl

Repetition performances: Portato dynamics, slow, 5 repetitions

1 velocity layer

AB switch: crescendo/diminuendo

24 SX-So_perf-rep_dyn9_por-fa

Repetition performances: Portato dynamics, fast, 9 repetitions

1 velocity layer

AB switch: crescendo/diminuendo

25 SX-So_perf-rep_dyn9_sta

Repetition performances: Staccato dynamics, 9 repetitions 1 velocity layer

AB switch: crescendo/diminuendo

Samples: 270

Samples: 150

Samples: 150

Samples: 270

RAM: 16 MB

14 FAST REPETITION

Range: G3-C#6

01 SX-So_fast-rep_140 (150/160/170/180)

Fast repetitions

Staccato, 9 repetitions, 140/150/160/170/180 BPM

3 velocity layers Release samples

11 SX-So_fast-rep_140_dyn (150/160/170/180)

Fast repetitions

Staccato, 9 repetitions, 140/150/160/170/180 BPM, crescendo and diminuendo

1 velocity layer

AB switch: crescendo/diminuendo

Samples: 30

Samples: 90

RAM: 1 MB

RAM: 5 MB

Į,

15 GRACE NOTES

The samples are mapped to their target notes.

01 SX-So_grace-1

Grace notes, minor 2nd

3 velocity layers Release samples AB switch: up/down

02 SX-So_grace-2

Grace notes, major 2nd

3 velocity layers

Release samples
AB switch: up/down

Range: G3-E6

Range: G3-D#6

Samples: 191

Samples: 190

RAM: 11 MB

RAM: 11 MB

		7 0 00pi	uno oux / 1 atomos
03 SX-So_grace-3	Range: G3-D#6	Samples: 185	RAM: 11 MB
Grace notes, minor 3rd	3		
3 velocity layers			
Release samples			
AB switch: up/down			
04 SX-So_grace-4	Range: G3–E6	Samples: 185	RAM: 11 MB
Grace notes, major 3rd	_	•	
3 velocity layers			
Release samples			
AB switch: up/down			
05 SX-So_grace-5	Range: G3-D#6	Samples: 179	RAM: 11 MB
Grace notes, 4th	Range. do Diro	Odinpics: 175	IVAINI. II IIID
3 velocity layers			
Release samples			
AB switch: up/down			
Switch. up/ down			
06 SX-So_grace-6	Range: G3-E6	Samples: 179	RAM: 11 MB
Grace notes, diminished 5th	_	- -	
3 velocity layers			
Release samples			
AB switch: up/down			
07 SX-So_grace-7	Range: G3-D#6	Samples: 173	RAM: 10 MB
Grace notes, 5th	itanger de 2 n e		
3 velocity layers			
Release samples			
AB switch: up/down			
08 SX-So_grace-8	Range: G3–E6	Samples: 173	RAM: 10 MB
Grace notes, minor 6th			
3 velocity layers			
Release samples			
AB switch: up/down			
09 SX-So_grace-9	Range: G3-D#6	Samples: 167	RAM: 10 MB
Grace notes, major 6th	Rungor do 2"	Cumpicor 107	10.000 20.00
3 velocity layers			
Release samples			
AB switch: up/down			
10.0V.C	D	0	DAM 10 115
10 SX-So_grace-10	Range: G3–E6	Samples: 167	RAM: 10 MB
Grace notes, minor 7th			
3 velocity layers			
Release samples			
AB switch: up/down			
11 SX-So_grace-11	Range: G3-D#6	Samples: 161	RAM: 10 MB
Grace notes, major 7th		-	
3 velocity layers			
Release samples			
AB switch: up/down			
•			

12 SX-So_grace-12

Grace notes, octave 3 velocity layers Release samples AB switch: up/down Range: G3-E6

Samples: 161

Samples: 40

Samples: 40

Samples: 163

Samples: 115

RAM: 10 MB

16 SCALE RUNS Range: G3-D6

RAM: 2 MB

RAM: 2 MB

01 SX-So_run-leg_chromatic

Octave runs, legato Chromatic 2 velocity layers

AB switch: up/down

02 SX-So_run-leg_whole

Octave runs, legato Whole tone

2 velocity layers AB switch: up/down

17 BENDS DOWN

RAM: 10 MB

RAM: 7 MB

01 SX-So_sus_Vib_bend Range: G3-E6

Single notes: Sustained, vibrato, with bend release

3 velocity layers Release samples

AB switch: bend short/long

02 SX-So_sus_Vib-progr_bend Range: G3-E6

Single notes: Sustained, progressive vibrato, with bend release

3 velocity layers Release samples

AB switch: bend short/long

03 SX-So_sus_noVib_bend Range: G3-E6 Samples: 115 RAM: 7 MB

Single notes: Sustained, no vibrato, with bend release

3 velocity layers Release samples

AB switch: bend short/long

04 SX-So_sus_dirty_bend Range: G3-C6 Samples: 122 RAM: 7 MB

Single notes: Sustained, "dirty", with bend release

2 velocity layers Release samples

AB switch: bend short/long

RAM: 71 MB

11 SX-So_perf-legato_Vib_bend

Interval performances: Legato, with vibrato, with bend release

3 velocity layers Release samples

AB switch: bend short/long

12 SX-So_perf-legato_grace_bend Range

Range: G3-D6 Samples: 1156 RAM: 72 MB

Samples: 1150

Interval performances: Grace notes, legato, minor 2nd to octave, with bend release

3 velocity layers Release samples

AB switch: bend short/long

13 SX-So_perf-portamento_bend

Range: G3-D6 Samples: 426 RAM: 26 MB

Interval performances: Portamento, with bend release

1 velocity layer Release samples

AB switch: bend short/long

14 SX-So_perf-legato_gliss-up_bend Range: G3-D6 Samples: 543 RAM: 33 MB

Range: G3-D6

Interval performances: Glissandos, upward, minor 2nd to octave, with bend release

2 velocity layers Release samples

AB switch: bend short/long

15 SX-So perf-marcato bend Range: G3-D6 Samples: 788 RAM: 49 MB

Interval performances: Marcato, with bend release

2 velocity layers Release samples

AB switch: bend short/long

21 SX-So perf-trill bend Range: G3-D6 Samples: 1934 RAM: 120 MB

Multi interval performances: Performance trills, legato, minor 2nd to major 3rd, with bend release

2 velocity layers Release samples

AB switch: bend short/long

98 RESOURCES

Isolated dynamics repetitions: Legato slow and fast, portato, staccato

Single layer long notes

Legato with sustain crossfading

01 Perf Rep dyn			,,,,
O1 SX-So_rep_cre5_leg-sl-1 (2/3/4/5) Extracted repetition Legato slow, crescendo, 1st to 5th note 1 velocity layer	Range: G3-E6	Samples: 17	RAM: 1 MB
O1 SX-So_rep_dim5_leg-sl-1 (2/3/4/5) Extracted repetition Legato slow, diminuendo, 1st to 5th note 1 velocity layer	Range: G3-E6	Samples: 17	RAM: 1 MB
O2 SX-So_rep_cre5_leg-fa-1 (2/3/4/5) Extracted repetition Legato fast, crescendo, 1st to 5th note 1 velocity layer	Range: G3-D6	Samples: 15	RAM: 1 MB
O2 SX-So_rep_dim5_leg-fa-1 (2/3/4/5) Extracted repetition Legato fast, diminuendo, 1st to 5th note 1 velocity layer	Range: G3-D6	Samples: 15	RAM: 1 MB
O3 SX-So_rep_cre9_por-1 (2/3/4/5/6/7/8/9) Extracted repetition Portato, crescendo, 1st to 9th note 1 velocity layer	Range: G3-D6	Samples: 15	RAM: 1 MB
O3 SX-So_rep_dim9_por-1 (2/3/4/5/6/7/8/9) Extracted repetition Portato, diminuendo, 1st to 9th note 1 velocity layer	Range: G3-D6	Samples: 15	RAM: 1 MB
O4 SX-So_rep_cre9_sta-1 (2/3/4/5/6/7/8/9) Extracted repetition Staccato, crescendo, 1st to 9th note 1 velocity layer	Range: G3-D6	Samples: 15	RAM: 1 MB
04 SX-So_rep_dim9_sta-1 (2/3/4/5/6/7/8/9) Extracted repetition Staccato, diminuendo, 1st to 9th note 1 velocity layer	Range: G3-D6	Samples: 15	RAM: 1 MB

02 Long Notes - Single Layer	Range: G3-E6		0
01 SX-So_sus_p		Samples: 66	RAM: 4 MB
Sustained, piano			
1 velocity layer			
Release samples			
02 SX-So_sus_mp		Samples: 66	RAM: 4 MB
Sustained, mezzopiano		•	
1 velocity layer			
Release samples			
03 SX-So_sus_mf		Samples: 66	RAM: 4 MB
Sustained, mezzoforte		•	
1 velocity layer			
Release samples			
04 SX-So_sus_f		Samples: 66	RAM: 4 MB
Sustained, forte		•	
1 velocity layer			
Release samples			
22 2 4 4 4 4 4			0
03 Perf Speed variation			•

01 SX-So_perf-leg_sustain

Range: G3-D6

Samples: 1278 RAM: 79 MB

Interval performances: Legato with sustain crossfading

3 velocity layers Release samples

99 RELEASE

This section contains release samples for various patches of the other sections. Please do not try to load them into a Vienna Instruments matrix – you will not be able to hear anything when you try to play them.

RAM: 80 MB

RAM: 95 MB

RAM: 67 MB

RAM: 160 MB

Samples: 1283

Samples: 1522

Samples: 1074

Samples: 2567

Matrices

Matrix - LEVEL 1

L1 SX-So Articulation Combi

Single notes

Staccato, portato short, sustained with and without vibrato normal and with bends, crescendo-diminuendo with vibrato 3 and 5 sec., fortepiano and sforzato with vibrato, trills half and whole tone

Matrix switches: Horizontal: Keyswitches, C1–F1

C1

stac

port. short

nes, C1–F1	Vertical: Modwheel, 2 zones			
C#1	D1	D#1	E1	F1
sus vib.	sus vib. bend	pfp vib. 3s.	fp vib.	trill half
sus no vib.	sus no vib. bend	pfp vib. 5s.	sfz vib.	trill whole

Vertical: Modwheel, 2 zones

L1 SX-So Perf-Legato Speed

۷1

V2

Performance legato with vibrato and sustain crossfading, with vibrato, and fast Performance legato with vibrato and bend release Speed controller

Matrix switches: Horizontal: Speed, 3 zones

•			•
	H1	H2	H3
legato normal	vib. sustain XF	vib. normal	fast
legato bend	%	%	%

L1 SX-So Perf-Repetitions Combi

Repetition performances Legato slow Portato fast Staccato

Matrix switches: Vertical: Modwheel, 3 zones

	repetitions
V1	legato slow
V2	portato fast
V3	staccato

Matrix - LEVEL 2 A - Advanced

01 SX-So Perf-Universal

Interval performances
Legato vibrato with sustain crossfading, normal, and fast
Performance glissando, up
Marcato normal and fast
Speed controller

Matrix switches: Horizontal: Speed, 3 zones

•			•
	H1	H2	H3
legato	sustain XF	normal	fast
glissando up	%	%	%
marcato	normal	normal	fast

Vertical: Modwheel, 3 zones

RAM: 182 MB

RAM: 89 MB

RAM: 91 MB

RAM: 60 MB

RAM: 100 MB

Samples: 2925

Samples: 1431

Samples: 1458

Samples: 970

Samples: 1601

02 SX-So Perf-Trill Speed

Multi interval performances Legato with vibrato, trills

Legato vibrato with bend release, trills with bend release

Glissandos, trills Speed controller

Matrix switches: Horizontal: Speed, 2 zones

Vertical: Modwheel, 3 zones

	H1	H2
V1 legato vib.		trills
V2 legato vib. bends		trill bends
V3	glissando	trills

03 SX-So Short+Long notes - All

Single notes

Staccato, portato short, portato medium

Sustained with normal and progressive vibrato, 'dirty', and without vibrato

Matrix switches: Horizontal: Keyswitches, C1–D#1 Vertical: Modwheel, 4 zones

	C1	C#1	D1	D#1
V1	staccato	port. short	port. medium	sus. vibrato
V2	%	%	%	sus. prog. vib.
V3	%	%	%	sus. dirty
V4	%	%	%	sus. no vib.

Matrix - LEVEL 2 B - Standard

11 SX-So Perf-Legato Speed

Performance legato with vibrato and sustain crossfading, with vibrato, and fast

Speed controller

Matrix switches: Horizontal: Speed, 3 zones

	H1	H2	H3
legato	vib. sustain XF	vib. normal	fast

12 SX-So Perf-Marcato Speed

Interval performances^mMarcato normal and fast

Speed controller

Matrix switches: Horizontal: Speed, 2 zones

	H1	H2
Marcato	normal	fast

13 SX-So Perf-Glissando Speed

Performance glissando, legato with vibrato, and legato fast

Speed controller

Matrix switches: Horizontal: Speed, 3 zones

	H1	H2	H3
V1	alissando	legato vibrato	legato fast

RAM: 69 MB

Samples: 1115

14 SX-So Short notes - All

Single notes

Staccato, portato short, portato medium, portato long marcato, slap normal and muted

Matrix switches: Horizontal: Keyswitches, C1–F1

	C1	C#1	D1	D#1	E1	F1
V1	staccato	port. short	port.med.	port.long marc.	slap normal	slap muted

15 SX-So Dynamics Samples: 666 RAM: 41 MB

Dynamics

Medium crescendo and diminuendo with vibrato, 2 and 5 sec.

Strong crescendo and diminuendo with vibrato, 3 and 5 sec.

Medium crescendo and diminuendo without vibrato, 1.5 and 2 sec.

Crescendo-diminuendo with vibrato, 3 and 5 sec.

Fortepiano and sforzato with vibrato

Matrix switches: Horizontal: Keyswitches, C1–C#1 Vertical: Modwheel, 5 zones

	C1	C#1
medium dyn. vib.	2 sec.	5 sec.
strong dyn. vib.	3 sec.	5 sec.
med.dyn. no vib.	1.5 sec.	2 sec.
pfp vib.	3 sec.	5 sec.
fp/sfz vib.	fp	sfz

16 SX-So Trills - normal Samples: 153 RAM: 9 MB

Trills

Normal and dynamics Half and whole tone

Matrix switches: Horizontal: Keyswitches, C1–C#1 Vertical: Modwheel, 2 zones

	C1	C#1
half tone	normal	dynamics
whole tone	normal	dynamics

17 SX-So Trills - accelerando Samples: 180 RAM: 11 MB

Trills accelerando
Normal and dynamics
Half and whole tone

Half and whole tone

Matrix switches: Horizontal: Keyswitches, C1–C#1 Vertical: Modwheel, 2 zones

	C1	C#1
half tone	normal	dynamics
whole tone	normal	dynamics

18 SX-So Trills - All Samples: 333 RAM: 20 MB

Trills constant speed and accelerando Normal and dynamics

Matrix switches: Horizontal: Keyswitches, C1–D#1

	C1	C#1	D1	D#1
half tone	normal	dynamics	accelerando	acc. dynamics
whole tone	normal	dynamics	accelerando	acc. dynamics

Vertical: Modwheel, 2 zones

RAM: 95 MB

RAM: 81 MB

RAM: 16 MB

Samples: 1524

Samples: 1299

Samples: 270

19 SX-So Bends - sus Samples: 505 RAM: 31 MB

Sustained notes with vibrato, progressive vibrato, 'dirty', and without vibrato Normal and with bend release

Matrix switches: Horizontal: Keyswitches, C1–D#1

Vertical: Modwheel, 2 zones

	C1	C#1	D1	D#1
sus. normal	vibrato	prog. vib.	dirty	no vibrato
sus. bend	%	%	%	%

20 SX-So Bends - Perf Samples: 2509 RAM: 156 MB

Interval performances: Legato, portamento, glissando, and marcato

Normal and with bend release

Matrix switches: Horizontal: Keyswitches, C1–D#1 Vertical: Modwheel, 2 zones

	C1 C#1 D1		D1	D#1	
normal	legato	portamento	glissando	marcato	
bend RS	%	%	%	%	

Matrix - LEVEL 2 C - Repetitions

31 SX-So Perf-Repetitions - Combi

Repetition performances

Slow and fast legato, slow and fast portato, staccato **Matrix switches:** Horizontal: Keyswitches, C1–E1

	C1	C#1	D1	D#1	E1
V1	legato slow	legato fast	portato slow	portato fast	staccato

32 SX-So Perf-Repetitions - Speed

Repetition performances

Slow and fast legato, fast portato, staccato

Speed controller

Matrix switches: Horizontal: Speed, 4 zones

	H1	H2	H3	H4
V1	legato slow	legato fast	portato fast	staccato

33 SX-So Fast-Repetitions

Fast repetitions

140, 150, 160, 170, 180 BPM

Matrix switches: Horizontal: Keyswitches, C1–E1

	C1	C#1	D1	D#1	E1
speed/BPM	140	150	160	170	180

RAM: 5 MB

RAM: 63 MB

RAM: 5 MB

RAM: 4 MB

RAM: 8 MB

RAM: 8 MB

Samples: 80

Samples: 1022

Samples: 85

Samples: 75

Samples: 135

Samples: 135

Matrix - LEVEL 2 D - Scale+Phrase

41 SX-So Scale runs-legato - Special

Octave runs, legato, chromatic and whole tone

AB switch up/down

Matrix switches: Vertical: Modwheel, 2 zones

	legato
V1	chromatic
V2	whole tone

42 SX-So Grace notes - All

Grace notes, minor 2nd to octave

AB switch up/down

Matrix switches: Horizontal: Keyswitches, C1–B1

	C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1	A1	A#1	B1
interval	min. 2nd	maj. 2nd	min. 3rd	maj. 3rd	4th	dim. 5th	5th	min. 6th	maj. 6th	min. 7th	maj. 7th	octave

Matrix - LEVEL 2 E - Keyswitch Vel

71 SX-So Legato slow - cre5

Slow legato notes: Crescendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–E1

	C1	C#1	D1	D#1	E1
velocity	1st	2nd	3rd	4th	5th

72 SX-So Legato fast - cre5

Fast legato notes: Crescendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–E1

	C1	C#1	D1	D#1	E1
velocity	1st	2nd	3rd	4th	5th

73 SX-So Portato - cre9

Portato notes: Crescendo, keyswitch velocity Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–G#1

	C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

74 SX-So Staccato - cre9

Staccato notes: Crescendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–G#1

		C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1
Γ	velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

RAM: 5 MB

RAM: 4 MB

RAM: 8 MB

Samples: 85

Samples: 75

Samples: 135

75 SX-So Combi - cre5 Samples: 160 RAM: 10 MB

Slow and fast legato: Crescendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–E1 Vertical: Modwheel, 2 zones

	C1	C#1	D1	D#1	E1
legato slow	1st	2nd	3rd	4th	5th
legato fast	1st	%	%	%	%

76 SX-So Combi - cre9 Samples: 270 RAM: 16 MB

Portato and staccato: Crescendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–G#1 Vertical: Modwheel, 2 zones

	C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1
portato	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
staccato	1st	%	%	%	%	%	%	%	%

77 SX-So Legato slow - dim5

Slow legato notes: Diminuendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–E1

	C1	C#1	D1	D#1	E1
velocity	1st	2nd	3rd	4th	5th

78 SX-So Legato fast - dim5

Fast legato notes: Diminuendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–E1

	C1	C#1	D1	D#1	E1
velocity	1st	2nd	3rd	4th	5th

79 SX-So Portato - dim9 Samples: 135 RAM: 8 MB

Portato notes: Diminuendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–G#1

	C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

80 SX-So Staccato - dim9

Staccato notes: Diminuendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–G#1

	C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

81 SX-So Combi - dim5 Samples: 160 RAM: 10 MB

Slow and fast legato: Diminuendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–E1 Vertical: Modwheel, 2 zones

	C1	C#1	D1	D#1	E1
legato slow	1st	2nd	3rd	4th	5th
legato fast	1st	%	%	%	%

82 SX-So Combi - dim9 Samples: 270 RAM: 16 MB

Portato and staccato: Diminuendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C1–G#1 Vertical: Modwheel, 2 zones

	C1	C#1	D1	D#1	E1	F1	F#1	G1	G#1
portato	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
staccato	1st	%	%	%	%	%	%	%	%

Presets

SX-So VSL Preset Level 1

L1 SX-So_Perf-Legato Speed

L1 SX-So_Articulation Combi

L1 SX-So_Perf-Repetitions Combi

Preset keyswitches: C2-D2

SX-So VSL Preset Level 2

01 SX-So Perf-Universal

02 SX-So Perf-Trill Speed

L1 SX-So Articulation Combi

31 SX-So Perf-Repetitions - Combi

76 SX-So Combi - cre9

19 SX-So Bends - sus

Preset keyswitches: C2–F2

Samples: 3592

RAM: 224 MB

Samples: 6970

RAM: 435 MB